

# Safety Data Sheet

0170 1

Version 2.0

Revision Date: 07/08/2015

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name

: 0170 1

Axis-ASCO170-1

### Manufacturer or supplier's details

Company

: Axis

Address

PO 80

Orange City, IA 51041

### Emergency telephone number:

Transport North America: CHEMTREC 800.424.9300

Additional Information:

: SDS Requests: 712-737-4993

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Flammable liquids : Category 2

Eye irritation : Category 2A

Specific target organ toxicity - single exposure : Category 3 (Central nervous system)

### GHS Label element

Hazard pictograms



Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open

## Safety Data Sheet

0170 1

Version 2.0

Revision Date: 07/08/2015

flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/  
lighting/ equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static  
discharge.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/  
spray.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ eye protection/ face  
protection.

### Response:

P303 + P361 + P353 IF ON SKIN (or hair): Remove/  
Take off immediately all contaminated clothing. Rinse  
skin with water/ shower.  
P304 + P340 + P312 IF INHALED: Remove victim to  
fresh air and keep at rest in a position comfortable for  
breathing. Call a POISON CENTER or doctor/ physician if  
you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with  
water for several minutes. Remove contact lenses, if  
present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical  
advice/ attention.  
P370 + P378 In case of fire: Use dry sand, dry chemical  
or alcohol-resistant foam for extinction.

### Storage:

P403 + P233 Store in a well-ventilated place. Keep  
container tightly closed.  
P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved  
waste disposal plant.

## Potential Health Effects

### Carcinogenicity:

#### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

#### OSHA

No component of this product present at levels greater

# Safety Data Sheet

**0170 1**

Version 2.0

Revision Date: 07/08/2015

than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

## NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

## Emergency Overview

Appearance	liquid
Colour	clear, colourless
Odour	sweet, pungent
Hazard Summary	No information available.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

### Hazardous components

CAS-No.	Chemical Name	Concentration (%)
67-64-1	Acetone	90 - 100

Molecular formula : C<sub>3</sub>H<sub>6</sub>O

## SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : Consult a physician after significant exposure.  
If unconscious place in recovery position and seek medical advice.
- In case of skin contact : If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

## Safety Data Sheet

**0170 1**

Version 2.0

Revision Date: 07/08/2015

---

If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

---

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

Specific extinguishing methods : Use a water spray to cool fully closed containers.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for fire-fighting if necessary.

#### **NFPA Flammable and Combustible Liquids Classification:**

Flammable Liquid Class IB

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapours accumulating to form explosive

---

**Safety Data Sheet**  
**0170.1**

Version 2.0

Revision Date: 07/08/2015

concentrations. Vapours can accumulate in low areas.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains  
inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

---

**SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Take precautionary measures against static discharges.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Container may be opened only under exhaust ventilation hood.  
Open drum carefully as content may be under pressure.  
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : No smoking.  
Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.

---

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

---

**Safety Data Sheet**  
**0170 1**

Version 2.0

Revision Date: 07/08/2015

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
67-64-1	Acetone	TWA	500 ppm	ACGIH
		STEL	750 ppm	ACGIH
		TWA	250 ppm 590 mg/m <sup>3</sup>	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m <sup>3</sup>	OSHA Z-1
		TWA	750 ppm 1,800 mg/m <sup>3</sup>	OSHA P0
		STEL	1,000 ppm 2,400 mg/m <sup>3</sup>	OSHA P0

**Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Acetone	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	50 mg/l	ACGIH BEI

**Personal protective equipment**

- Respiratory protection : No personal respiratory protective equipment normally required.  
In the case of vapour formation use a respirator with an approved filter.
- Hand protection  
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.

## Safety Data Sheet

0170 1

Version 2.0

Revision Date: 07/08/2015

When using do not smoke.  
Wash hands before breaks and at the end of workday.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, colourless
Odour	: sweet, pungent
Odour Threshold	: 62 ppm
pH	: No data available
Freezing Point (Melting point/range)	: -94 °C (-137 °F)
Boiling Point (Boiling point/boiling range)	: 56 °C (133 °F)
Flash point	: -20 °C (-4 °F)
Evaporation rate	: 5.6 - 6.06 n-Butyl Acetate
Flammability (solid, gas)	: No data available
Burning rate	: No data available
Upper explosion limit	: 13 %(V)
Lower explosion limit	: 2.1 %(V)
Vapour pressure	: 181 mmHg @ 20 °C (68 °F)
Relative vapour density	: 2 @ 20 °C (68 °F) (Air = 1.0)
Relative density	: 0.792 @ 20 °C (68 °F)
Density	: 0.792 g/cm <sup>3</sup> @ 20 °C (68 °F)
Bulk density	: No data available
Solubility(ies) Water solubility	: completely soluble

---

# Safety Data Sheet

## 0170 1

Version 2.0

Revision Date: 07/08/2015

---

Solubility in other sol-vents : No data available

Partition coefficient: n-octanol/water : log Pow: 0.2

Auto-ignition temperature : 540 °C

Thermal decomposition : No data available

Viscosity  
Viscosity, dynamic : 0.32 mPa.s @ 25 °C (77 °F)

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No hazards to be specially mentioned.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition sources.

Incompatible materials : Bases  
Oxidizing agents  
Reducing agents

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation method

##### Components:

###### **67-64-1:**

Acute oral toxicity : LD50 (rat): 5,800 mg/kg

---



## Safety Data Sheet

**0170 1**

Version 2.0

Revision Date: 07/08/2015

---

Acute inhalation toxicity : LC50 (rat): 76.0 mg/l  
Exposure time: 4 h

Acute dermal toxicity : LD50 : > 7,426 mg/kg

### Skin corrosion/irritation

#### Components:

##### **67-64-1:**

Species: rabbit  
Exposure time: 24 h  
Method: In vivo  
Result: Mild skin irritation

### Serious eye damage/eye irritation

#### Components:

##### **67-64-1:**

Species: rabbit  
Result: Irritating to eyes.  
Exposure time: 24 h

### Respiratory or skin sensitisation

#### Components:

##### **67-64-1:**

Test Type: Maximization test  
Species: guinea pig  
Result: Did not cause sensitisation on laboratory animals.

### Germ cell mutagenicity

#### Components:

##### **67-64-1:**

Genotoxicity in vitro : Test Type: Mammalian cell gene mutation assay  
Test species: Mouse lymphoma cells  
Metabolic activation: Without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

: Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

: Test Type: Chromosome aberration test in vitro  
Test species: Chinese hamster ovary (CHO)  
Metabolic activation: with and without metabolic activation

---

# Safety Data Sheet

## 0170 1

Version 2.0

Revision Date: 07/08/2015

vation  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Test species: mouse  
Application Route: Oral  
Exposure time: 13 wk  
Dose: 5,000, 10,000, 20,000 ppm  
Result: negative

Germ cell mutagenicity- : Tests on bacterial or mammalian cell cultures did not  
Assessment show mutagenic effects.

### Carcinogenicity

#### Components:

##### **67-64-1:**

Species: mouse, (female)  
Application Route: Dermal  
Exposure time: 365 d (90%) or 424 d (100%)  
Dose: 0.1ml 90(71mg) or 100% (79mg)  
Frequency of Treatment: 3 times per wk  
NOAEL: 79

Result: did not display carcinogenic properties

Carcinogenicity - As- : Carcinogenicity classification not possible from current  
essment data.

### Reproductive toxicity

#### Components:

##### **67-64-1:**

Effects on fertility : Species: rat, male  
Application Route: oral  
Dose: 0, 5000, 10000 mg/L  
Frequency of Treatment: 7 days/week  
General Toxicity - Parent: LOAEL: 10,000  
Fertility: 10,000

Effects on foetal devel- : Species: rat  
opment Application Route: Inhalation  
Dose: 0, 440, 2200, 11000 ppm  
Frequency of Treatment: 7 days/week  
General Toxicity Maternal: NOAEC: 2,200 ppm  
Teratogenicity: NOAEC: 11,000 ppm  
Embryo-foetal toxicity.: NOAEC: 2,200 ppm  
Method: OECD Test Guideline 414

# Safety Data Sheet

**0170-1**

Version 2.0

Revision Date: 07/08/2015

Result: No teratogenic potential.  
GLP: No data available

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, and on development, based on animal experiments.

## STOT - single exposure

**Product:** No data available

### Components:

67-64-1:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	

## STOT - repeated exposure

**Product:** No data available

### Components:

67-64-1: No data available

### Repeated dose toxicity

#### Components:

**67-64-1:**

Species: mouse, male

NOAEL: 20000

Application Route: Oral

Exposure time: 13 wk

Number of exposures: daily

Dose: 1250, 2500, 5000, 10000, 20000

Method: OECD Test Guideline 408

GLP: No data available

Species: mouse, female

NOAEL: 20000

LOAEL: 50000

Application Route: Oral

Exposure time: 13 wk

Number of exposures: daily

Dose: 2500, 5000, 10000, 20000, 5000

**Safety Data Sheet**  
**0170 1**

Version 2.0

Revision Date: 07/08/2015

Method: OECD Test Guideline 408  
GLP: No data available

Repeated dose toxicity - Assessment : Causes mild skin irritation., Causes serious eye irritation.

**Aspiration toxicity**

**Further information**

**Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

---

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Components:**

**67-64-1:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 6,100 mg/l  
Exposure time: 48 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7,630 mg/l  
Exposure time: 48 h  
Test substance: Acetone

Toxicity to algae : Remarks: No data available

**Persistence and degradability**

**Components:**

**67-64-1:**

Biodegradability : Remarks: Readily biodegradable

**Bioaccumulative potential**

**Components:**

**67-64-1:**

Partition coefficient: n-octanol/water : log Pow: -0.24

# Safety Data Sheet

0170 1

Version 2.0

Revision Date: 07/08/2015

## Mobility in soil

No data available

## Other adverse effects

No data available

## Product:

Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues	: Dispose of in accordance with all applicable local, state and federal regulations. For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact NEXEO's Environmental Services Group at 800-637-7922.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

---

## SECTION 14. TRANSPORT INFORMATION

**IATA (International Air Transport Association):** UN1090, ACETONE, 3, II, Flash Point: -20 °C (-4 °F)

**IMDG (International Maritime Dangerous Goods):** UN1090, ACETONE, 3, II

**DOT (Department of Transportation):** UN1090, ACETONE, 3, II

# Safety Data Sheet

0170 1

Version 2.0

Revision Date: 07/08/2015

## SECTION 15. REGULATORY INFORMATION

**OSHA Hazards** : Flammable liquid, Mild skin irritant, Moderate eye irritant

**WHMIS Classification** : B2: Flammable liquid  
D2B: Toxic Material Causing Other Toxic Effects

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Acetone	67-64-1	5000	5000

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Fire Hazard  
Acute Health Hazard

**SARA 302** : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

67-56-1	Methanol	0.0061 %
71-43-2	Benzene	0.005 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

67-64-1	Acetone	100 %
67-56-1	Methanol	0.0061 %
71-43-2	Benzene	0.005 %

#### Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

71-43-2	Benzene	0.005 %
---------	---------	---------

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

# Safety Data Sheet

**01701**

Version 2.0

Revision Date: 07/08/2015

71-43-2 Benzene 0.005 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

## US State Regulations

### Massachusetts Right To Know

67-64-1 Acetone 90 - 100 %  
71-43-2 Benzene 0 - 0.1 %

### Pennsylvania Right To Know

67-64-1 Acetone 90 - 100 %

### New Jersey Right To Know

67-64-1 Acetone 90 - 100 %

### California Prop 65

71-43-2 Benzene  
WARNING! This product contains a chemical known to the State of California to cause cancer.  
71-43-2 Benzene  
WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.  
67-56-1 Methanol  
71-43-2 Benzene

## The components of this product are reported in the following inventories:

<b>United States TSCA Inventory</b>	:	y (positive listing) (On TSCA Inventory)
<b>Canadian Domestic Substances List (DSL)</b>	:	y (positive listing) (All components of this product are on the Canadian DSL.)
<b>Australia Inventory of Chemical Substances (AICS)</b>	:	y (positive listing) (On the inventory, or in compliance with the inventory)
<b>New Zealand. Inventory of Chemical Substances</b>	:	y (positive listing) (On the inventory, or in compliance with the inventory)
<b>Japan. ENCS - Existing and New Chemical Substances Inventory</b>	:	y (positive listing) (On the inventory, or in compliance with the inventory)

**Safety Data Sheet**  
**0170.1**

Version 2.0


Revision Date: 07/08/2015

<b>Korea. Korean Existing Chemicals Inventory (KECI)</b>	:	y (positive listing) (On the inventory, or in compliance with the inventory)
<b>Philippines Inventory of Chemicals and Chemical Substances (PICCS)</b>	:	y (positive listing) (On the inventory, or in compliance with the inventory)
<b>China. Inventory of Existing Chemical Substances in China (IECSC)</b>	:	y (positive listing) (On the inventory, or in compliance with the inventory)

**SECTION 16. OTHER INFORMATION**

**Further information**

**NFPA:**



Special hazard.

**HMIS III:**

<b>HEALTH</b>	<b>2</b>
<b>FLAMMABILITY</b>	<b>3</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

**Legacy MSDS:**

R0004335

**Material number:**



# Safety Data Sheet

## 0170 1

Version 2.0

Revision Date: 07/08/2015

16075697, 16071303, 16070561, 16070557, 16069569, 16055833, 16055832, 16055831, 16055830, 16055829, 16062035, 16053090, 16050725, 16050368, 16049710, 16046507, 16045896, 16040423, 16038301, 16024443, 16024442, 16017790, 772814, 772813, 770579, 746703, 743460, 731755, 722683, 716725, 714790, 714016, 53967, 143817, 699233, 694280, 669662, 657544, 640730, 632517, 632516, 622972, 610607, 602401, 601081, 590044, 588482, 579567, 577332, 570345, 554132, 554043, 554368, 554299, 554204, 554084, 554042, 556643, 546857, 508583, 69081, 102957, 52701, 86730, 86576, 86729, 86575, 85459, 70349, 70195, 102439, 69676, 101837, 103107, 86726, 102776, 101843, 86578, 85462, 86731, 70348, 70194, 86057, 69078, 53968, 53814, 85456, 167020, 158363, 107921, 86736, 103057, 86399, 101847, 86676, 70017, 52704, 70353, 53820, 53637

<b>Key or legend to abbreviations and acronyms used in the safety data sheet</b>			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials

**Safety Data Sheet**  
**0170 1**

Version 2.0

Revision Date: 07/08/2015

<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		