#973 Page 1 of 7

## Safety Data Sheet

Version

1.0060 06/01/2015

UNCONTROLLED DOCUMENT Version
Warsaw Chemical Co., Inc. posts our Safety Data Sheets (SDS) to our company website Revision Date
ONLY. Warsaw Chemical is NOT responsible for any SDS found on other sites.

Print Date

and company identification Section Chemical product

Product Name:

AD-2000 -HD Degreaser

Product use:

Concentrated cleaner

Distributed by: 1st Ayd Corporation

1325 Gateway Drive Elgin, IL 60124

Phone: 847-622-0001

Emergency Response Number: 800-255-3924

#### Hazards identification Section 2.

GHS Classification:

Acute toxicity, dermal(Category 4) Serious eye damage/eye irritation(Category 1) Acute toxicity, oral(Category 4)

Pictogram(s):



Signal Word:

Hazard Statements:

H312 Harmful in contact with skin H318 Causes serious eye damage Harmful if swallowed

Precautionary Statement(s):
P363 Wash contaminated clothing before reuse

P312 Call a POISON CENTER or doctor/physician if you feel unwell
P280 Wear protective gloves/protective clothing/eye protection/face protection

P501 Dispose of contents/container in accordance with federal, state and/or local regulations

Immediately call a POISON CENTER or doctor/physician

P264 Wash ... thoroughly after handling P270 Do not eat, drink or smoke when using this product

P302+352 IF ON SKIN: Wash with soap and water

P305+351+330 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing

P301+312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

## Data Sheet

#973 Page 2 of 7

UNCONTROLLED COCUMENT

Warsaw Chemical Co., Inc. posts our Safety Data Sheets (SDS) to our company website Revision Date
ONLY. Warsaw Chemical is NOT responsible for any SDS found on other sites.

Print Date 1.0060 06/01/2015 Print Date 07/14/2015

Section	3.	Composition/	'information	രമ	ingradienta
			and the same of the same that he are	C 2 2 2	LULEULENIS

N7		
<u>Name</u>	<u>CAS number</u>	% Less Than
Sodium Metasilicate	6834-92-0	12.0000
Surfactant	68130-47-2	5.0000
2-Butoxyethanol	111-76-2	12.0000
Tetrasodium EDTA	64-02-8	1.0000
Sodium Hydroxide	1310-73-2	1.0000

The chemical identity of some or all components is confidential business information (trade secret) and is being withheld as permitted by 29CFR19191200 (i). No other ingredients known to be hazardous.

### Section 4. First aid measures

Eye contact:

Check for and remove contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Skin contact:

Wash skin surfaces thoroughly after contact. Wash clothing and clean shoes thoroughly before reuse. Get medical attention if irritation develops.

Inhalation:

Move exposed person to fresh air. If breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen clothing. Get medical attention immediately.

Ingestion:

Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious

person. Get medical attention immediately.

General:

Physicians: No specific treatment. Treat symptomatically. Contact poison treatment specialist if large quantities have been inhaled or ingested.

# Safety Data Sheet

#973 Page 3 of 7

UNCONTROLLED DOCUMENT Version 1.0060
Warsaw Chemical Co., Inc. posts our Safety Data Sheets (SDS) to our company website Revision Date 06/01/2015
ONLY. Warsaw Chemical is NOT responsible for any SDS lound on other sites. Print Date 07/14/2015

Section 5. Fire-fighting measures

Flammability:

In a fire or if heated, a pressure increase will occur and the container

may burst.

Extinguishing Media:

Use an extinguishing agent suitable for the surrounding fire.

Protective Equipment:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with full face-piece operated in

positve pressure mode.

Additional Information:

Thermal decomposition products-carbon monoxide, sulfur oxides, metal oxide/

oxides, halogenated compounds.

Section 6. Accidental release measures

Personal Precautions:

No action should be taken involving individual risk or without suitable training. Isolate area. Avoid contact with material. Do not breath vapors. Provide adequate ventilation. Wear proper personal protective equipment.

Environmental:

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform relevant authorities if the product

reaches sewers, waterways or soil.

Containment/Cleanup:

Stop leak if without risk. Move containers from spill area. Contain or absorb with inert dry material. Dispose of according to local regulations. See Section 1 for emergency contact information and 13 for waste disposal.

Section 7. Handling and storage

Safe Handling:

Wear appropriate personal protective equipment (see Section 8). Eating drinking and smoking should be prohibited. Do not get into eyes or on skin Do not ingest. Keep containers tightly closed. Do not reuse container.

Safe Storage:

Store in accordance with local regulations. Store in original container away from foods, drink and incompatible materials. Keep container tightly closed. Do not store unlabeled. Use appropriate containment.

### Safety Data Sheet

UNCONTROLLED DOCUMENT

Warsaw Chemical Co., Inc. posts our Salety Data Sheets (SDS) to our company website Revision Date ONLY. Warsaw Chemical is NOT responsible for any SDS found on other sites.

Print Date 1.0060 06/01/2015 07/14/2015

#### Section 8. Exposure controls/personal protection

Engineering Controls: Apply technical measures to comply with occupational exposure limits.

Mechanical ventilation, eyewash stations, showers where necessary.

Eye Protection: Safety eyewear/face shield complying with an approved standard should be

used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Respiratory Protection: Use a properly fitted air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates necessity. Respirator

selection must be based on known or anticipated exposure levels, the hazards of the product & the safe working limits of the chosen respirator.

Hand Protection: Chemical resistant, impervious gloves complying with an approved standard

should be worn at all times when handling chemical products if a risk

assessment indicates this is necessary.

Skin Protection: Personal protective equipment for the body should be selected based on the

task being performed and the risks involved and should be approved by a specialist before handling this product.

COMPONENT	ACGIH TWA PPm	OSHA/NIOSH STEL ppm	OSHA/ACGHI STEL mg/m3
Sodium Metasilicate Surfactant	N/A	N/A	
2-Butoxyethanol Tetrasodium EDTA	20		1
Sodium Hydroxide	2		15

### Physical and chemical properties Section 9.

Physical State: Liquid

Color: Yellow/Green

Odor: Butyl

Odor Threshold: N/E pH: 12.8

Melting Point: 23 ۱ Freezing Point: 231

Boiling Point:

Flash Point: Nonflammable Evaporation Rate: N/E

Flammability:

Nonflammable Upper Explosive Limits:

N/A Lower Explosive Limits: N/A Vapor Pressure: N/E Vapor Density: N/E

Relative Density: N/E

Solubility: Complete Partition coefficient: N/E

Auto-Ignition Temperature: N/E Decompostion Temperature: N/E Specific Gravity: 1.07

% Volatile: 9.9%

## Safety Data Sheet

Version

#973 Page 5 of 7

UNCONTROLLED DOCUMENT
Warsaw Chemical Co.. Inc. posts our Safety Data Sheets (SDS) to our company website
ONLY. Warsaw Chemical is NOT responsible for any SDS tound on other sites.

Revision Date
Print Date

06/01/2015 07/14/2015

Section 10. Stability and reactivity

Reactivity:

Non reactive

Chemical stability:

Stable under normal conditions.

Possibility of

hazardous reactions:

None known

Conditions to avoid:

Excessive heat or open flame.

Incompatible materials:

Avoid contact with acidic materials and strong oxidizers.

Hazardous Decomposition

Products:

Under normal conditions, none are known

Section 11. Toxicological information

Routes of entry:

\_\_ Inhalation

X Absorption

X Ingestion

Acute Exposure Hazards:

Eye contact:

Irritation, stinging, redness, burns.

Dermal:

Irritation, burns upon prolonged exposure.

Oral:

Nausea, vomiting.

Inhalation:

Not expected route of entry. Irritation

COMPONENT

Sodium Metasilicate

Result LD50 ORAL Species

Dose 1,152-1,349 MG/KG Exposure

LD50 ORAL LC50 LD50 ORAL Rat-Male and female Danio rerio (Zebra fish)

210 MG/L

96 hours

Surfactant

LC50

Rainbow trout

3.95 mg/kg 5.5 mg/kg

96 hours

2-Butoxyethanol

LD50 ORAL

Rat

470 mg/kg

\_

#### Safety Data Sheet

#973 Page 6 of 7

UNCOMTROLLED DOCUMENT

Warsaw Chemical Co., Inc. posts our Salety Data Sheets (SDS) to our company website

Revision: Date
ONLY. Warsaw Chemical is NOT responsible for any SDS found on other sites.

Print Date 1.0060 06/01/2015 07/14/2015

#### Section 12. Ecological information

Ecotoxicity:

No data available.

Persistance & degradability:

No data available.

Bioaccumulative potential:

Mobility in soil:

No data available. No data available.

Other adverse effects:

No data available.

Component

2-Butoxyethanol

Result EC50

Species Daphnia

Dose

1518 mg/L

Exposure 24 hours

Section 13. Disposal considerations

Material that cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Processing, use or contamination of this product may change the waste management options. Waste generators must decide if discarded material is a hazardous waste. State and local disposal regulations may differ from federal disposal definitions. Dispose of container and unused contents in accordance with federal, state and local requirements.

#### Section 14. Transport information

DOT (US)

UN Number:

UN1760

Shipping Name:

CORROSIVE LIQUIDS, N.O.S.

Technical Name:

(SODIUM HYDROXIDE, SILICATE)

Hazard Class:

8 Packaging Group: II

### Section 15. Regulatory information

SARA 313 Components

2-Butoxyethanol

CAS No.

% Less Than 12.0000

111-76-2

California Prop. 65 Components

CAS No.

% Less Than

## Safety Data Sheet

#973 Page 7 of 7

UNCONTROLLED DOCUMENT Version 1.0060
Warsaw Chemical Co., Inc. posts our Safety Data Sheets (SDS) to our company website Revision Date 06/01/2015
NLY. Warsaw Chemical is NOT responsible for any SDS found on other sites. Print Date 07/14/2015

### Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health Hazard	2
Fire Hazard	0
Reactivity	0
Personal Protection	C

Caution: HMTS ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks and 4 representing significant hazards or risks.

	PERSONAL PROTECTION INDEX
<u>A</u>	Safety Glasses
В	Safety Glasses, Gloves
C	Safety Glasses, Gloves, Apron
D	Face Shield, Gloves, Apron
D E	Safety Glasses, Gloves, Dust Respirator
F	Safety Glasses, Gloves, Apron, Dust Respirator
G	Safety Glasses, Gloves, Vapor Respirator
H	Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
I	Safety Glasses, Gloves, Dust & Vapor Respirator
J	Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
K	Airline Hood or Mask, Gloves, Full Suit, Boots

Consult your supervisor for special handling directions

National Fire Protection ssociation (U.S.A.)

Flammability

Health 200 Instability/Reactivity

Special

NFPA warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals.

Information on this form is furnished solely for the purpose of compliance with the Occupational Safety and Health Act of 1970 and shall not be used for any other purpose. Use or dissemination of all or any part of this information can be grounds for legal action.

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as of the date of its issue. However, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE. The information this Safety Data Sheet contains is being given for safety guidance purposes and relates only to the specific material and uses described in it. This information does not necessarily apply to that material when combined with other material(s) or when used otherwise than as described herein.

In all cases, it is the responsibility of the user to determine the applicability of such information and recommendations and the suitability of any product for its own particular purpose. All materials may represent unknown hazards and should be used with caution.