# SAFETY DATA SHEET.

Issuing date 12-Mar-2015

Revision Date 12-Mar-2015

Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name

#80 GEL PENETRATING LUBE

Recommended use of the chemical and restrictions on use

Product code

F00952

Synonyms

None

Supplier's details

Recommended Use Uses advised against Penetrating lubricant. No information available

Manufactured For: 1st Ayd Corporation 1325 Gateway Drive Elgin, IL 60124

Emergency telephone number Chemical Emergency Phone

Number

**Company Emergency Phone** 

Number

800-255-3924

1-800-422-3033 Mon-Fri 8:00am-5:00pm

## 2 HAZARDS IDENTIFICATION

#### Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable aerosols	Category 1
Gases under pressure	Compressed Gas

# GHS Label elements, including precautionary statements

#### **Emergency Overview**

#### DANGER

#### Hazard Statements

Causes skin irritation

Causes serious eye irritation

May cause respiratory irritation. May cause drowsiness or dizziness

May be fatal if swallowed and enters airways

Extremely flammable aerosol

Contains gas under pressure; may explode if heated



Appearance Hazy

Physical state Aerosol

Odor Solvent

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

#### Precautionary Statements - Response

Specific treatment (see first aid on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None

Other information

2.66E-06% of the mixture consists of ingredient(s) of unknown toxicity

# 3 COMPOSITION/INFORMATION ON INGREDIENTS

-86-8 30- -52-5 20-	30
-52-5	
_49_0 10-	-20
URE 10-	-20
03-8 1-1	10
-48-9 0.1	1-1
0	3-8 1-

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

### First aid measures for different exposure routes

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact

Wash off immediately with soap and plenty of water. Remove and wash contaminated

clothing before re-use. Get medical attention if irritation persists.

Inhalation

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention if irritation develops and persists.

Ingestion

If ingested, do not induce vomiting. Call a physician. Aspiration hazard if swallowed - can

enter lungs and cause damage.

### Most important symptoms/effects, acute and delayed

**Main Symptoms** 

Irritating to skin. Causes serious eye damage. Causes drowsiness or dizziness. Harmful or fatal if swallowed and enters airways.

# Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

### F00952 - #80 GEL PENETRATING LUBE

Revision Date 12-Mar-2015

Specific hazards arising from the chemical

No information available.

Explosion Data

Sensitivity to Mechanical Impact none.

Sensitivity to Static Discharge

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions

Ensure adequate ventilation.

Environmental precautions

**Environmental precautions** 

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in

low areas.

# Methods and materials for containment and cleaning up

**Methods for Containment** 

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Handle in accordance with good industrial hygiene and safety practice. Remove and wash

contaminated clothing before re-use. Do not breathe vapors or spray mist. Do not eat, drink

or smoke when using this product. Wash thoroughly after handling.

## Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away

from heat and sources of ignition. Keep out of the reach of children.

Incompatible products

None known based on information supplied.

**Aerosol Level** 

3

# 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines

Chemical Name PROPANE/ISOBUTANE/N-BUTANE	ACGIH TLV	OSHA PEL	NIOSH IDLH
68476-86-8	74-98-6: TWA: 1000 ppm 106-97-8: STEL: 1000 ppm 75-28-5: STEL: 1000 ppm	74-98-6:TWA: 1000 ppm TWA: 1800 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m³ 106-97-8: (vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m³	74-98-6:IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup> 106-97-8:TWA: 800 ppm TWA: 1900 mg/m <sup>3</sup> 75-28-5:TWA: 800 ppm TWA: 1900 mg/m <sup>3</sup>
HEPTANE 64742-49-0	TLV: 400 ppm STEL: 500 ppm	TWA: 500 ppm	*

### F00952 - #80 GEL PENETRATING LUBE

ACGIH: (American Conference of Governmental Industrial Hygienists)

OSHA: (Occupational Safety & Health Administration)

Exposure controls

**Engineering Measures** 

Showers

Evewash stations Ventilation systems.

# Individual protection measures, such as personal protective equipment

**Eye/Face Protection** 

Safety glasses with side-shields.

Skin and body protection

Chemical resistant apron. Protective gloves.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND OHEMICAL PROPERTIES

### Physical and chemical properties

Physical state **Appearance** 

Aerosol Hazy

Odor Odor Threshold Solvent

Color

Values

Remarks • Methods

Based on propellant

No information available

Property

pН Melting/freezing point

Boiling point/boiling range Flash Point

**Evaporation rate** Flammability (solid, gas)

Flammability Limits in Air

upper flammability limit lower flammability limit

Vapor pressure Vapor density **Specific Gravity** 

Water solubility

Autoignition temperature **Decomposition temperature** Viscosity

**Explosive properties** 

hazy

No information available No information available

No information available -96.4 °C / -141 °F

No information available

No information available

No information available No information available No information available

No information available 0.736

Practically insoluble Partition coefficient: n-octanol/waterNo information available No information available No information available

No information available No information available

#### Other information

VOC Content(%)

2.0

49.84

# 10: STABILITY AND REACTIVITY

Reactivity\_

No data available

Chemical stability

Stable under recommended storage conditions.

## F00952 - #80 GEL PENETRATING LUBE

Revision Date 12-Mar-2015

Possibility of hazardous reactions

None under normal processing.

**Conditions to Avoid** 

Extremes of temperature and direct sunlight.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

### **Product Information**

Inhalation

Avoid breathing vapors or mists. Irritating to respiratory system. May cause drowsiness or dizziness. Intentional misuse by deliberately concentrating and inhaling contents may be

harmful or fatal.

Eye contact

Avoid contact with eyes, causes serious eye damage.

Skin contact

Avoid contact with skin. Irritating to skin.

Ingestion

Potential for aspiration if swallowed. Do not taste or swallow.

**Component Information** 

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
HEPTANE 64742-49-0	> 5000 mg/kg (Rat)	> 3160 mg/kg ( Rabbit )	= 73680 ppm (Rat)4 h
PETROLATUM 8009-03-8	-	= 3600 mg/kg ( Rabbit )	-
HYDROTREATED HEAVY NAPHTHENIC 64742-48-9	> 5000 mg/kg (Rat)	> 3160 mg/kg ( Rabbit )	-

### Information on toxicological effects

Symptoms

Symptoms of overexposure may be headache, tiredness, nausea, and vomiting. Causes respiratory irritation. Causes skin and eye irritation. Aspiration into the lungs during swallowing may cause serious lung damage which may be fatal.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

Germ Cell Mutagenicity

None known,

Carcinogenicity

None known.

fatal,

Reproductive toxicity

There are no known carcinogenic chemicals in this product. This product does not contain any known or suspected reproductive hazards.

**Developmental Toxicity** 

May cause drowsiness and dizziness. May cause respiratory irritation.

Specific target organ systemic toxicity (single exposure) Specific target organ systemic

toxicity (repeated exposure)

No information available.

Chronic toxicity

Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

Other adverse effects

Irritating to eyes, respiratory system and skin.

Aspiration hazard

May be fatal if swallowed and enters airways.

## Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 

2.66E-06% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)

3196 mg/kg

ATEmix (dermal)

5688 mg/kg

ATEmix (inhalation-vapor)

127 mg/l

# 12 ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Chemical Name	Toxicity to algae	Foxicity to algae Toxicity to fish Toxicity microorga		Toxicity to daphnia and other aquatic invertebrates
PROPANE/ISOBUTANE/N- BUTANE		-	-	-
68476-86-8 NAPHTHENIC OIL, SEVERLY HYDROT 64742-52-5	_	5000 mg/L LC50 Oncorhynchus mykiss 96h	_	1000 mg/L EC50 Daphnia magna 48h
HYDROTREATED HEAVY NAPHTHENIC 64742-48-9	•	2200 mg/L LC50 Pimephales promelas 96h	-	-

## Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

1	Chemical Name	log Pow
	PROPANE/ISOBUTANE/N-BUTANE	2.8
	68476-86-8	

Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment

**Waste Disposal Methods** 

This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

Contaminated packaging

Do not re-use empty containers.

# 14 TRANSPORTANEORMATION

**DOT Ground** 

CONSUMER COMMODITY ORM-D

LIMITED QUANTITY

IATA

UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD. QTY.

IMDG

UN1950, AEROSOLS, 2.1, LTD. QTY.

# 15. REGULATORY INFORMATION

### International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
PROPANE/ISOBUTA NE/N-BUTANE	X	Х	X	Not listed	X	X		
NAPHTHENIC OIL, SEVERLY HYDROT	X	X	x	$-\mathbf{x}$	×		^	
HEPTANE	X	X	X				^	X
PETROLATUM	Х	Х	X	$\frac{\hat{x}}{x}$	- <del>^</del> -	<del></del>	X	X
HYDROTREATED EAVY NAPHTHENIC	X	X	X	X	X	$\frac{\hat{x}}{\hat{x}}$	$\frac{x}{x}$	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### SARA 311/312 Hazard Categories

Acute Health Hazard Chronic Health Hazard	Yes
Fire Hazard	Yes Yes
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	no

#### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level

### U.S. State Regulations

### California Proposition 65

This product does not contain any known Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

# **EPA Pesticide Registration Number** Not applicable

### <u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

# 16: OTHER INFORMATION

NFPA\_

Health Hazard 2

Flammability 4

Instability 0

Physical and chemical

hazards -

**HMIS** 

Health Hazard 2

Flammability 4

Physical Hazard 1

Personal protection B

Prepared By

American Jetway 34136 Myrtle Street Wayne, MI 48184

Tel.734-721-5930

Issuing date **Revision Date**  12-Mar-2015 12-Mar-2015

**Revision Note** 

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet** 

•		<b>,</b> ·	•	<b>,</b> .	
	•				
					1