

Safety Data Sheet

Issue date 27-Jul-2018

Revision date 20-Jul-2023

Revision Number 3

1. IDENTIFICATION

Product identification

Product identifier

Drummond™ Free-Flow Urinal Drain Opener and Odor Eliminator

Other means of identification

DL4450T12

Recommended use

Sewer and Drain Maintenance

Restrictions on use

Not available

Supplier

Corporate Headquarters: Drummond™, A Lawson Brand Lawson Products, Inc. 8770 W. Bryn Mawr Ave., Suite 900 Chicago, IL 60631 (866) 837-9908

Canadian Distribution Center: Lawson Canada 7315 Rapistan Court Mississauga, ON L5N 5Z4 (800) 323-5922

24 Hour Emergency Phone

Number

(888) 426-4851 (Prosar)

www.lawsonproducts.com

Website

Methylene Chloride notification No Information Available

2. HAZARD(S) IDENTIFICATION

Hazard Classification

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), WHMIS 2015 and GHS Regulations.

	Category 4
Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation	Category 1
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 3
Specific target organ toxicity (single exposure)	•

Symbol





Signal word

DANGER

Hazard statements

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

1/10 Page

H332 - Harmful if inhaled

H335 - May cause respiratory irritation H336 - May cause drowsiness or dizziness

Precautionary statements

General P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P103 - Read label before use.

Prevention P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves and eye/face protection

Response

General P310 - Immediately call a POISON CENTER or doctor/physician

P321 - For Specific treatment see section 4 of this sds

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Eyes

Remove contact lenses, if present and easy to do. Continue rinsing

Skin P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P363 - Wash contaminated clothing before reuse

Inhalation P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing

P304 + P312 - IF INHALED: Call a POISON CENTER or doctor if you feel unwell

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting Ingestion

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Storage P405 - Store locked up

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal P501 - Dispose of contents/ container to an approved waste disposal plant

Hazard(s) Not Otherwise Classified (HNOC)

None known.

Physical Hazards Not

Otherwise Classified

(PHNOC)

None known.

Unknown acute toxicity 0%.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Composition

Mixture.

Chandada		
Chemical name Hydrochloric Acid	CAS-No	Weight %
· · · · · · · · · · · · · · · · · · ·	7647-01-0	10-30
Propargyl alcohol	107-19-7	1_1
Nonylphenol Ethoxylate	9016-45-9	11
	9016-45-9	.1-1

4. FIRST-AID MEASURES

Necessary first-aid measures

General Information

Get immediate medical advice/attention.

Inhalation

Remove to fresh air. Call a physician or Poison Control Center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Ingestion

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and afterwards drink plenty of water. Call a physician or Poison Control Center immediately.

Skin contact

Immediate medical attention is required. Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.

Eye contact

Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub eye.

Most important symptoms (acute)

See section 11 for toxicological information.

Most important symptoms (over-exposure)

See section 11 for toxicological information.

Indication of any immediate medical attention and special treatment needed Product is a corrosive material. Do not induce emesis or perform lavage. If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. Do not give chemical antidote. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Water spray may be ineffective.

Specific hazards

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Evacuate area of unprotected and unnecessary personnel. Use personal protection recommended in Section 8. Avoid contact with eyes, skin, and clothing. Keep people away from and upwind of spill/leak. Do not allow to enter waters, wastewater or soil. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and materials for containment and cleaning up Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically and collect in suitable container for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Use personal protective equipment as required. Avoid contact with eyes, skin, and clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation wear suitable respiratory equipment. Use only with adequate and in closed systems.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a cool, well-ventilated place. Keep out of reach of children. Do not store in unlabeled or mislabeled containers. Incompatible with strong acids and bases. Incompatible with oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	OSHA PEL (TWA)	California - PELs	ACGIH OEL (TWA)	NIOSH - TWA
Hydrochloric Acid	~	0.3 ppm PEL; 0.45 mg/m ³		MOON - IWA
Propargyl alcohol	-	1 ppm PEL; 2 mg/m³ PEL	1 ppm TWA	1 ppm TWA
Nonylphenol Ethoxylate			Skin	2 mg/m³ TWA

Appropriate engineering controls

Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Eye protection

Tightly fitting safety goggles. Face-shield.

Skin and body protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection

Do not breathe gas/fumes/vapor/spray. Ensure adequate ventilation, especially in confined areas. If exposure limits are exceeded or irritation is experienced, a NIOSH/MSHA approved respirator is recommended. Positive-pressure supplied air respirators may be required for high airborne contaminant concentration. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures

When using, do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wear suitable gloves and eye/face protection.

Canadian Province Occupational Exposure Limits

Chemical name	AB	BC	МВ	NB	NL	NS	ON I			
Hydrochloric Acid					1112	GYI	ON	PE	QC	SK
Propargyl alcohol	1 ppm TWA 2.3 mg/m³ TWA	1 ppm TWA	1 ppm TWA	1 ppm TWA 2.3 mg/m ³ TWA	1 ppm TWA	1 ppm TWA	1 ppm TWA	- 1 ppm TWA	1 ppm TWAEV 2.3 mg/m ³	1 ppm TW/
Nonylphenol Ethoxylate	-		-	-	-	-	-	-	TWAEV	-

9. PHYSICAL AND CHEMICAL PROPERTIES

DL4450T12 Drummond™ Free-Flow Urinal Drain Opener and Odor Eliminator

Physical state

Liquid

Color

Clear, Blue

Odor

Acidic

Odor threshold

Not available

рΗ

<1

Melting point/range °C

Not available

Melting point/range °F

Not available

Boiling point/range °C

93,3 °C

Boiling point/range °F

200 °F

Flash point °C / °F

Not available

Evaporation rate

Not available

Flammability (Solid, Gas)

Not available

Lower explosion limit

Not available

Upper explosion limit

Not available

Vapor pressure

Not available

Vapor density

Not available

Relative density

1.10

Solubility

completely soluble in water

Partition coefficient

(n-octanol/water)

Not available

Autoignition temperature °C

Not available

Autoignition temperature °F

Not available

Decomposition temperature °C

Not available

Decomposition temperature °F

Not available

Viscosity

A-5 Gardner cP @ 25°C

10. STABILITY AND REACTIVITY

Reactivity

Not available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous

reactions

None under normal conditions of use.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Dermal. Inhalation. Ingestion. Eyes.

Symptoms

Breathing of vapor can cause respiratory irritation and inflammation. Breathing of mist or liquid can cause burns to the respiratory tract. Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including blindness. Avoid contact with skin. Contact with skin may cause severe irritation and burns. Ingestion causes burns of the upper digestive and respiratory tracts.

Delayed and immediate effects as well as chronic effects from short and long-term exposure Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects. Target Organ Effects:. Eyes. Respiratory system. Skin.

Numerical measures of toxicity

Chemical name	Inhalation LC50:	Dermal LD50:	
Hydrochloric Acid	1.68 mg/L Rat	238 - 277 mg/kg Rat	Oral LD50: 238 - 277 mg/kg Rat
Propargyl alcohol Nonylphenol Ethoxylate	1040 ppm Rat 1200 ppm Rat	>5010 mg/kg Rabbit = 110 mg/kg Rat = 20 mg/kg Rat = 55 mg/kg Rat 16 mg/kg Rabbit	> 5010 mg/kg Rabbit 55 mg/kg Rat 110 mg/kg Rat = 16 mg/kg Rabbit
чолурненої Епохугате	-	= 1310 mg/kg Rat = 2590 mg/kg Rat 1780 µL/kg Rabbit	2590 mg/kg Rat 1310 mg/kg Rat = 1780 µL/kg Rabbit = 2 mL/kg Rabbit

ATEmix (dermal)

27,930.99 mg/kg

ATEmix (oral)

1,326.00 mg/kg

ATEmix (inhalation-gas)

3,137.30 ppm

ATEmix (inhalation-vapor)

Not available

ATEmix (inhalation-dust/mist)

2.79 mg/l

Carcinogenicity

Chemical name	ACGIH OEL - Carcinogens	IARC	OSHA Carcinogens	NTP
lydrochloric Acid	A4	Group 1 Group 3	Present	-
ropargyl alcohol lonylphenol Ethoxylate		*	-	

Canadian Province

carcinogenicity limits

Chemical name	Alberta - Carcinogen	British Columbia - Carcinogen	Manitoba - Carcinogen	New Brunswick - Carcinogen	Nova Scotia - Carcinogen	Quebec - Carcinogen
Hydrochloric Acid	-	-	ACGIH A4		ACGIH A4	-
Propargyl alcohol	-	-	-	-		-
Nonylphenol Ethoxylate		-	<u> </u>	<u> </u>	<u>-</u>	

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish LC50
Hydrochloric Acid	-	1,49 - 1,56mg/L Pimephales promelas 96h
Propargyl alcohol Nonylphenol Ethoxylate	<u> </u>	1,40 1,00mg/2 / mopricate p.

Persistence and degradability

Not available.

Bioaccumulation

Chemical name	CAS-No	Partition coefficient (log Kow)	Bioconcentration factor (BCF)
Hydrochloric Acid 7647-01-0	7647-01-0	-	-
Propargyl alcohol 107-19-7	107-19-7	-0.35 at 25 °C [OECD Guideline 107] (ECHA_API)	•
Nonylphenol Ethoxylate 9016-45-9	9016-45-9	3.7 at 25 °C [OECD Guideline 117] (ECHA_API)	-

Mobility in soil

Not available.

Other adverse effects

Not available

13. DISPOSAL CONSIDERATIONS

Disposal information

Discard container or liner in accordance with federal, state, and local regulations.

Contaminated packaging

Do not reuse containers.

14. TRANSPORTATION INFORMATION

Shipping Descriptions

DOT

ID-No

UN3264

Proper shipping name Hazard Class(es) Corrosive Liquid, Acidic, Inorganic, N.O.S. (Hydrochloric Acid)

Hazard Class(es) Subsidiary Risk

..

Packing group Special Provisions

LTD QTY 1L or <

TDG

ID-No

UN3264

Proper shipping name Hazard Class(es)

Corrosive Liquid, Acidic, Inorganic, N.O.S. (Hydrochloric Acid)

Packing group

Special Provisions LTD QTY 1L or <

IATA

ID-No

UN3264

Proper shipping name Hazard Class(es)

Packing group

Corrosive Liquid, Acidic, Inorganic, N.O.S. (Hydrochloric Acid)

II

IMDG/IMO

ID-No

UN3264

Proper shipping name Hazard Class(es) Corrosive Liquid, Acidic, Inorganic, N.O.S. (Hydrochloric Acid) 8

Packing group

II F-A, S-B

EmS No Special Provisions

LTD QTY 1L or <

Marine Pollutants

Chemical name	CAS-No	USDOT Marine Pollutant	Canada TDG Marine Poliutant	IMDG Marine Pollutant
Hydrochloric Acid	7647-01-0	-		
Propargyl alcohol	107-19-7	-		···· <u>-</u>
Nonylphenol Ethoxylate	9016-45-9		-	-

Special Precautions

Multi-modal shipping descriptions are provided for informational purposes and do not consider container size. The presence of a shipping description for a particular mode of transport (sea, air, etc.), does not indicate that the product is packaged suitably for that mode of transport. All packaging must be reviewed for suitability prior to shipment, and compliance with the applicable regulations is the sole responsibility of the person offering the product for transport. People loading and unloading dangerous goods must be trained on all of the risks deriving from the substances and on all actions in case of emergency situations.

15. REGULATORY INFORMATION

State regulations

U.S. state Right-to-Know regulations

Chemical name	CAS-No	Massachusetts - RTK	New Jersey - RTK	Pennsylvania - RTK
Hydrochloric Acid	7647-01-0	X	X	Y
Propargyl alcohol	107-19-7	X	X	- X
Nonylphenol Ethoxylate	9016-45-9	-		

California Prop. 65

WARNING: This product contains a chemical(s) known to the state of California to cause cancer, birth defects or other reproductive harm

Chemical name	CAS-No	California Prop. 65
Hydrochloric Acid	7647-01-0	
Propargyl alcohol	107-19-7	-
Nonylphenol Ethoxylate	9016-45-9	**************************************

U.S. Federal Regulations

Methylene Chloride notification No Information Available

US EPA SARA 313

Chemical name	CAS-No	CERCLA/SARA Hazardous Substances RQ	SARA 313 - Threshold Values
-lydrochloric Acid	7647-01-0	5000 lb 2270 kg	1.0 %
Propargyl alcohol	107-19-7	1000 lb 454 kg	1.0 %
Nonylphenol Ethoxylate	9016-45-9		1.0 %

US EPA SARA 311/312 hazardous categorization

Acute Health Hazard Chronic Health Hazard

TSCA and Canadian Inventories

Chemical name	Inventory - United States - Section 8(b) Inventory (TSCA)	U.S TSCA (Toxic Substances Control Act) - Section 12(b) - Export Notification	DSL	NDSL
Lt. des ablavia Asid	×		Χ	<u>-</u>
Hydrochloric Acid	 		X	
Propargyl alcohol Nonylphenol Ethoxylate	X	X	X	

Legend X - Listed

16. OTHER INFORMATION	

NFPA

Health	3
Flammability	0
	0
mstaninty	-

HMIS

	^
Health	3
Flammability	0
Physical hazards	0
Personal protection	С

Notice: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA).

Prepared by

Regulatory Affairs

Issue date

27-Jul-2018

Revision date

20-Jul-2023

Revision note

Key to abbreviations

ACGIH (American Conference of Governmental Industrial Hygienists)

ATE (Average Toxicity Estimate)

DSL/NDSL (Domestic Substance List/Non-Domestic Substance List)

HMIS (Hazardous Materials Identification System)

IARC (International Agency for Research on Cancer)

IATA (International Air Transport Association)

IMDG/IMO (International Maritime Dangerous Goods/International Maritime Orgnaization)

NFPA (National Fire Protection Association)

NTP (National Toxicology Program)

OEL (Occupational Exposure Level)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

TSCA (Toxic Substance Control Act)

USEPA (United States Environmental Protection Agency)

Disclaimer

The information accumulated herein is believed to be accurate, but is not warranted to be, whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

End of Safety Data Sheet