

Product identifier used on the label: MAG 1 ELECTRIC MOTOR CLEANER

Stock Number: MAG10445 Revision Date: 06-06-2017

Replaces:

1. Identification

Product identifier used on the label:

MAG 1 ELECTRIC MOTOR CLEANER

Stock Number:

MAG10445

Other means of identification:

Synonyms:

No data available

Recommended use of the chemical and restrictions on use:

Recommended use:

Lubricants and performance fluids for the automotive industry

Restrictions on use:

Uses other than those described above

Name, address, and telephone number

Warren Distribution, Inc.

of the chemical manufacturer,

727 S. 13th Street

importer, or other responsible party:

Omaha, NE 68102

Phone number:

+01 (800) 825-1235

+01 (402) 341-9397

E-mail address:

sds@wd-wpp.com

Emergency phone number:

CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

### 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard
Symbols:



**GHS Classification:** 

Skin Corrosion/Irritation Category 2

Serious Eye Damage/Eye Irritation Category 2

Hazardous to the aquatic environment - Acute Category 2

Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category

3

Hazardous to the aquatic environment - Chronic Category 4

Signal Word:

Warning

**Hazard Statements:** 

Causes skin irritation; Causes serious eye irritation; May cause respiratory irritation; May cause drowsiness or dizziness; Toxic to aquatic life; May

cause long lasting harmful effects to aquatic life

**Precautionary Statements:** 

Product identifier used on the label: MAG 1 ELECTRIC MOTOR CLEANER

Stock Number: MAG10445 Revision Date: 06-06-2017

Replaces:

Prevention:

Avoid breathing dust/fume/gas/mist/ vapors/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid

release to the environment. Wear protective gloves/protective

clothing/eye protection/face protection.

Response:

If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor/.../if you feel unwell. Specific treatment (see Sections 4 - 8 of Safety Data Sheet). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it

before reuse.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store

locked up.

Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazards not otherwise classified:

No data available

### 3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS#	%
Acetone	No data available	67-64-1	30 - 60
Heptane	No data available	142-82-5	
Isopropanol	No data available	67-63-0	15 - 40
Carbon dioxide	No data available	124-38-9	5 - 10 3 - 7

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

#### 4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation:

If inhaled: Remove person to fresh air and keep comfortable for

breathing.

**Eye Contact:** 

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

Product identifier used on the label: MAG 1 ELECTRIC MOTOR CLEANER

Stock Number: MAG10445 **Revision Date: 06-06-2017** 

Replaces:

Skin Contact:

If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before

reuse.

Ingestion:

Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this SDS.

Most important symptoms/effects, acute and delayed:

Causes skin irritation Causes serious eye irritation May cause respiratory irritation May cause drowsiness or dizziness

Indication of immediate medical attention and special treatment needed, if necessary:

Specific treatment (see Sections 4 - 8 of Safety Data Sheet). Call a poison

center/doctor/.../if you feel unwell.

#### 5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:

Use alcohol resistant foam, carbon dioxide, or dry chemical extinguishing agents. Water spray or fog may also be effective for extinguishing if swept across the base of the fire. Water can also be used to absorb heat

and keep exposed material from being damaged by fire.

Unsuitable extinguishing media:

No data available

Specific hazards arising from the

No data available

chemical:

Hazardous combustion products:

Carbon dioxide, Carbon monoxide

Special protective equipment and precautions for fire-fighters:

No data available

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Avoid release to the environment.

Methods and materials for containment and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking

Product identifier used on the label: MAG 1 ELECTRIC MOTOR CLEANER

Stock Number: MAG10445 Revision Date: 06-06-2017

Replaces:

in the area.

#### 7. Handling and storage

Precautions for safe handling:

Harmful or irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. Empty containers may retain product residues/vapors. Use proper bonding and grounding during bulk product transfer. Use spark-proof tools and explosion-proof equipment

Conditions for safe storage, including

any incompatibilities:

Safe storage conditions:

Store in a well-ventilated place. Keep container tightly closed. Store

locked up.

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents

### 8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	The state of the s
Acetone	1000 ppm TWA; 2400 mg/m3 TWA	500 ppm TWA	750 ppm STEL	2500 ppm IDLF
Heptane	500 ppm TWA; 2000 mg/m3 TWA	400 ppm TWA (listed under Heptane, all isomers)	500 ppm STEL (listed under Heptane, all isomers)	(10% LEL) 750 ppm IDLH
Isopropanol	400 ppm TWA; 980 mg/m3 TWA	200 ppm TWA	400 ppm STEL	2000 ppm IDLH
Carbon dioxide	5000 ppm TWA; 9000 mg/m3 TWA	5000 ppm TWA	30000 ppm STEL	(10% LEL) 40000 ppm IDLF

Appropriate engineering controls:

Use only outdoors or in a well-ventilated area. Local exhaust ventilation or other engineering controls are normally required when handling or

using this product to avoid overexposure.

Individual protection measures, such as personal protective equipment:

**Respiratory Protection:** 

Avoid breathing dust/fume/gas/mist/vapors/spray.

Respirator Type(s):

If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection. A respiratory protection

Product identifier used on the label: MAG 1 ELECTRIC MOTOR CLEANER

Stock Number: MAG10445 Revision Date: 06-06-2017

Replaces:

program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2

requirements must be followed whenever workplace conditions warrant

a respirator's use.

Eye protection:

Wear chemically resistant safety glasses with side shields when handling

this product. Do not wear contact lenses.

Skin protection:

Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating,

drinking, and when leaving work.

Gloves:

Nitrile, Polyvinylalcohol

General hygiene conditions:

Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

### 9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state:

No data available

Color:

Colorless

Odor:

Moderate

Odor Threshold:

Not determined

:Ha

No data available

Melting point/freezing point:

**Melting Point:** 

No data available

Freezing point:

No data available

Initial boiling point and boiling range

56

(°C):

Flash Point (°C):

Not determined

**Evaporation Rate:** 

2-10 (n-Butyl acetate = 1)

Flammability (solid, gas):

No data available

Upper/lower flammability or explosive

limits:

Upper flammability or explosive

12....14...

Not established

limits:

Lower flammability or explosive

Not established

limits:

Product identifier used on the label: MAG 1 ELECTRIC MOTOR CLEANER

Stock Number: MAG10445 Revision Date: 06-06-2017

Replaces:

Vapor pressure:

No data available

Vapor density:

2.07

Relative density:

0.76

Solubility(ies):

Negligible: 0-1%

Partition coefficient: n-octanol/water:

No data available

Auto-ignition temperature:

No data available

**Decomposition Temperature:** 

Not determined

Viscosity:

No data available

Volatile organic compound (VOC)

0.000000

content and percentage of volatiles:

#### 10. Stability and reactivity

Reactivity:

Chemical stability:

Stable under normal conditions.

Possibility of hazardous reactions:

None expected under standard conditions of storage.

Conditions to avoid (e.g., static

discharge, shock, or vibration):

Sparks, open flame, other ignition sources, and elevated temperatures.

Incompatible materials:

Strong oxidizing agents

Hazardous decomposition products:

No data available

#### 11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):

Inhalation Eye Contact Skin contact

Symptoms related to the physical,

Causes skin irritation Causes serious eye irritation May cause respiratory

chemical and toxicological

characteristics:

irritation May cause drowsiness or dizziness

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Ingestion Toxicity:

Although this product has a low order of acute oral toxicity, aspiration of minute amounts into the lungs during ingestion or vomiting may cause

mild to severe pulmonary injury and possibly death.

Skin Contact:

Causes skin irritation

Product identifier used on the label: MAG 1 ELECTRIC MOTOR CLEANER

Stock Number: MAG10445 Revision Date: 06-06-2017

Replaces:

Absorption:

Likely to be practically non-toxic based on animal data.

Inhalation Toxicity:

May cause respiratory irritation

Eye Contact:

Causes serious eye irritation

Sensitization:

No data available

Mutagenicity:

No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Carcinogenicity:

Contains a substance that is a possible cancer hazard based on high dose

animal studies and/or a human study.

STOT-single exposure:

Classification has been based on toxicological information of the

components in Section 3.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Other information:

No data available

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Isopropanol	OLD50 Rat = 4396 mg/kg	Rat = 4396 mg/kg Dermal LD50 Rabbit = 12800 mg/kg		
Heptane	OLD50 Mouse > 5000 mg/kg	Dermal LD50 Rabbit = 3000 mg/kg	Inhalation LC50 (4h) Rat 103 mg/L	
Acetone	OLD50 Rat 5800 mg/kg	Dermal LD50 Rabbit 20000 mg/kg	Inhalation LC50 (8h) Rat 50100 MG/M3	

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

latest editions, or by Oshia.	OCUA Carainagan	IARC Carcinogen	NTP Carcinogen	
Chemical Name	OSHA Carcinogen	IANC caremogen		
There are no components				
that are known or reported				
to cause cancer.				

Page 7 of 10

#### 12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

No data available

Product identifier used on the label: MAG 1 ELECTRIC MOTOR CLEANER

Stock Number: MAG10445 Revision Date: 06-06-2017

Replaces:

#### **Ecological Toxicity Data:**

Chemical Name	CAS#	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Carbon dioxide	124-38-9	No data available	No data available	Aquatic LC50 (96h) Rainbow Trout = 35 mg/L
Isopropanol	67-63-0	13299 mg/L	> 1000 mg/L	= 9640 mg/L
Heptane	142-82-5	1.5 mg/L	No data available	Aquatic LC50 (96h) 375 mg/L
Acetone	67-64-1	10294 - 17704 mg/L	7500 mg/L	Aquatic LC50 (96h) 6210 mg/L

Persistence and degradability:

Biodegrades quickly.

Bioaccumulative potential:

Bioconcentration may occur.

Mobility in soil:

This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects (such as

hazardous to the ozone layer):

No data available

#### 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

Dispose of contents and container in accordance with local/regional/national/international regulations.

Waste codes / waste designations:

D001

Contaminated packaging:

Empty containers may contain residues. Dispose of in the same way as

waste product.

#### 14. Transport information

Carriage of dangerous goods by road (DOT), rail or inland waterways:

**DOT Basic Description:** 

UN1950, AEROSOLS, 2.1, LTD QTY

International carriage of dangerous goods by sea (IMDG/IMO):

**UN** number:

UN1950

**UN Proper shipping name:** 

**AEROSOLS** 

Product identifier used on the label: MAG 1 ELECTRIC MOTOR CLEANER

Stock Number: MAG10445 Revision Date: 06-06-2017

Replaces:

Transport hazard class(es):

2.1

Packing group, if applicable:

Not applicable

**Exception:** 

LTD QTY

EMS#:

F-D, S-U

International carriage of dangerous goods by air (IATA):

**UN** number:

UN1950

UN Proper shipping name:

AEROSOLS, FLAMMABLE

Transport hazard class(es):

2.1

Packing group, if applicable:

Not applicable

Environmental hazards (e.g., Marine

pollutant (Yes/No)):

Yes

ponutant (1 cs/110//

Transport in bulk (according to Annex II

No data available

of MARPOL 73/78 and the IBC Code):

Special precautions which a user needs

to be aware of or needs to comply with

in connection with transport or conveyance either within or outside

their premises:

No data available

#### 15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

TSCA Status:

All components of this material are on the US TSCA Inventory or are

exempt.

#### **Regulated Components:**

Chemical Name	CAS#	CERCLA	Sara EHS	Sara 313	U.S. HAP
Acetone	67-64-1	Υ	N	N	N
Heptane	142-82-5	N .	N	N	N
Isopropanol	67-63-0	N	N	Υ	N
Carbon dioxide	124-38-9	N	N	N	N

Product identifier used on the label: MAG 1 ELECTRIC MOTOR CLEANER

Stock Number: MAG10445 Revision Date: 06-06-2017

Replaces:

Chemical Name	CAS#	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male
Acetone	67-64-1	N	N	N	N
Heptane	142-82-5	N	N	N	N
Isopropanol	67-63-0	N	N	N	N
Carbon dioxide	124-38-9	N	N	N	N

Chemical Name	CAS#	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Acetone	67-64-1	Υ	Υ	Υ	N	Υ
Heptane	142-82-5	Υ	Υ	Υ	N	Υ
Isopropanol	67-63-0	Υ	Y	Υ	N	Υ
Carbon dioxide	124-38-9	Υ	Υ	Υ	N	Ÿ

#### 16. Other information, including date of preparation or last revision.

SDS Prepared by:

**HAZEMS** 

**Revision Date:** 

06-06-2017

**Revision Number:** 

19

Reason for revision:

Activated by Document Formulation Generation

References:

No data available

Other Info:

No data available

Disclaimer:

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.