Safety Data Sheet

ccording To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015). Date of Issue: 04/10/2023

SECTION 1: IDENTIFICATION

Product Identifier 1.1. Product Form: Substance

Product Name: Thrift Drain Cleaner

CAS-No.: 1310-73-2

Intended Use of the Product 1.2.

Drain cleaner

Name, Address, and Telephone of the Responsible Party 1.3.

Company

JR2D, Inc.

3435 St. Hwy 146 S. Livingston, TX 77351 Phone: (936) 327-5723

Emergency Telephone Number

Emergency Number : VelocityEHS

(800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS-US/CA Classification

Corrosive to metals Category 1	H290
Acute toxicity (oral) Category 4	H302
Skin corrosion/irritation Category 1A	H314
Serious eye damage/eye irritation Category 1	H318
Specific target organ toxicity (single exposure) Category 1	H370
Hazardous to the aquatic environment - Acute Hazard Category 3	H402

Label Elements 2.2.

GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA)







Signal Word (GHS-US/CA)

: Danger

Hazard Statements (GHS-US/CA)

: H290 - May be corrosive to metals.

H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage.

H370 - Causes damage to organs (respiratory tract) (Inhalation).

H402 - Harmful to aquatic life.

Precautionary Statements (GHS-US/CA) : P234 - Keep only in original container.

P260 - Do not breathe vapors, mist, or spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for

04/10/2023

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see section 4 on this SDS).

P330 - Rinse mouth.

P363 - Wash contaminated clothing before reuse.

P390 - Absorb spillage to prevent material-damage.

P405 - Store locked up.

P406 - Store in corrosive resistant container with a resistant inner liner.

P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US/CA)

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Name	Synonyms	Product Identifier	%*	GHS Ingredient Classification
Sodium hydroxide	SODIUM HYDROXIDE / Sodium	(CAS-No.) 1310-73-2	100	Met. Corr. 1, H290
	hydroxide (Na(OH)) / Caustic soda / LYE			Acute Tox. 4 (Oral), H302
				Skin Corr. 1A, H314
	Ì			Eye Dam. 1, H318
				STOT SE 1, H370
				Aquatic Acute 3, H402

Full text of H-statements: see section 16

3.2. Mixture

Not applicable

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. Immediately call a poison center or doctor/physician.

Skin Contact: Immediately remove contaminated clothing. Immediately flush skin with plenty of water for at least 30 minutes. Get immediate medical advice/attention.

Eye Contact: Immediately rinse with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: Causes severe skin burns and eye damage. Causes damage to organs (respiratory tract) (Inhalation). Harmful if swallowed. **Inhalation:** May be corrosive to the respiratory tract.

Skin Contact: Causes severe irritation which will progress to chemical burns.

Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Ingestion: This material is harmful orally and can cause adverse health effects or death in significant amounts. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Chronic Symptoms: None expected under normal conditions of use.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

^{*}Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

Safety Data Sheet

sccording To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Contact with metallic substances may release flammable hydrogen gas.

Reactivity: May be corrosive to metals. Contact with metals may evolve flammable hydrogen gas. May react exothermically with water releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Sodium oxides. Corrosive vapors.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not breathe dust. Do not get in eyes, on skin, or on clothing.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: As an immediate precautionary measure, isolate spill or leak area in all directions. Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Recover the product by vacuuming, shoveling or sweeping. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: May be corrosive to metals. May release corrosive vapors.

Precautions for Safe Handling: Do not get in eyes, on skin, or on clothing. Do not breathe dust. Handle empty containers with care because they may still present a hazard. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area. Store in original container or corrosive resistant and/or lined container.

Incompatible Materials: acids. Metals. May be corrosive to metals. Attacks some forms of plastics, rubber, and coatings.

Storage Temperature: 0 - 40 °C

Special Rules on Packaging: Do not store in aluminum, steel, glass or ceramic receptacle.

04/10/2023 EN (English US) 3/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

7.3. Specific End Use(s)

Drain cleaner

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Sodium hydroxide (1310-73	-2)	
USA ACGIH	ACGIH OEL Ceiling	2 mg/m³
USA OSHA	OSHA PEL (TWA) [1]	2 mg/m³
USA NIOSH	NIOSH REL (Ceiling)	2 mg/m³
USA IDLH	IDLH	10 mg/m ³
Alberta	OEL C	2 mg/m³
British Columbia	OEL C	2 mg/m³
Manitoba	OEL C	2 mg/m ³
New Brunswick	OEL C	2 mg/m³
Newfoundland & Labrador	OEL C	2 mg/m³
Nova Scotia	OEL C	2 mg/m³
Nunavut	OEL C	2 mg/m³
Northwest Territories	OEL C	2 mg/m³
Ontario	OEL C	2 mg/m³
Prince Edward Island	OEL C	2 mg/m³
Québec	Plafond (OEL Ceiling)	2 mg/m³
Saskatchewan	OEL C	2 mg/m³
Yukon	OEL C	2 mg/m³

8.2. Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles. Face shield. Insufficient ventilation: wear respiratory protection.











Materials for Protective Clothing: Chemically resistant materials and fabrics. Corrosion-proof clothing.

Hand Protection: Wear protective gloves.

Eye and Face Protection: Chemical safety goggles and face shield.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

Safety Data Sheet

scording To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties 9.1.

Solid **Physical State**

White flakes Appearance **Odorless** Odor

No data available **Odor Threshold** No data available

рH No data available **Evaporation Rate** 319 °C (606.2 °F) **Melting Point** 319 °C (606.2 °F) Freezing Point

1390 °C (2534 °F) **Boiling Point** No data available Flash Point No data available **Auto-ignition Temperature**

No data available **Decomposition Temperature** No data available Flammability (solid, gas) No data available Lower Flammable Limit No data available Upper Flammable Limit

0.1333 kPa at 739 °C (1362 °F) Vapor Pressure

No data available Relative Vapor Density at 20°C No data available **Relative Density**

2.13 g/cm³ Density

No data available **Specific Gravity** Water: Soluble Solubility Partition Coefficient: N-Octanol/Water No data available

No data available Viscosity

SECTION 10: STABILITY AND REACTIVITY

Reactivity:

May be corrosive to metals. Contact with metals may evolve flammable hydrogen gas. May react exothermically with water releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction.

10.2. Chemical Stability:

Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions: 10.3.

Hazardous polymerization will not occur.

Conditions to Avoid: 10.4.

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials:

acids. Metals. May be corrosive to metals. Attacks some forms of plastics, rubber, and coatings.

Hazardous Decomposition Products: 10.6.

Thermal decomposition may produce: Corrosive vapors. Sodium oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity (Oral): Harmful if swallowed. Acute Toxicity (Dermal): Not classified Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data:

Thrift Drain Cleaner

ATE US/CA (oral)

Skin Corrosion/Irritation: Causes severe skin burns.

Eye Damage/Irritation: Causes serious eye damage. Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

04/10/2023 EN (English US)

325.00 mg/kg body weight

5/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Causes damage to organs (respiratory tract) (Inhalation).

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: May be corrosive to the respiratory tract.

Symptoms/Injuries After Skin Contact: Causes severe irritation which will progress to chemical burns,

Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: This material is harmful orally and can cause adverse health effects or death in significant

amounts. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Chronic Symptoms: None expected under normal conditions of use.

11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Sodium hydroxide (1310-73-2)	
LD50 Oral Rat	325 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General: Harmful to aquatic life.

Sodium hydroxide (1310-73-2)	
LC50 Fish 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 - Crustacea [1]	40 mg/l

12.2. Persistence and Degradability

Thrift Drain Cleaner	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

Thrift Drain Cleaner	
Bioaccumulative Potential	Not established.

12.4. Mobility in Soil

No additional information available

12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Proper Shipping Name : SODIUM HYDROXIDE, SOLID

Hazard Class : 8

Identification Number : UN1823

Label Codes : 8
Packing Group : II
ERG Number : 154



Safety Data Sheet

coording To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015)

In Accordance with IMDG 14.2.

Proper Shipping Name

: SODIUM HYDROXIDE, SOLID

Hazard Class

: 8

Identification Number

: UN1823

Label Codes

: 8

Packing Group EmS-No. (Fire)

: 11 : F-A

EmS-No. (Spillage)

: S-B In Accordance with IATA

Proper Shipping Name

: SODIUM HYDROXIDE, SOLID

Hazard Class

14.3.

: 8

Identification Number

: UN1823

Label Codes

: 8

Packing Group

: 11

ERG Code (IATA)

: 81

In Accordance with TDG 14.4.

Proper Shipping Name

: SODIUM HYDROXIDE, SOLID

Hazard Class

: 8

Identification Number

: UN1823

Label Codes

: 8

Packing Group

: 11



SECTION 15: REGULATORY INFORMATION

15.1. **US Federal Regulations**

Thrift Drain Cleaner	
SARA Section 311/312 Hazard Classes Physical hazard - Corrosive to metals Health hazard - Specific target organ toxicity (single exposure) Health hazard - Acute toxicity (any route of exposur Health hazard - Serious eye damage or eye irritation Health hazard - Skin corrosion or Irritation	
Sodium hydroxide (1310-73-2)	
Listed on the United States TSCA (Toxic Substances	Control Act) inventory - Status: Active
CERCLA RO	1000 lb

15.2. **US State Regulations**

Sodium hydroxide (1310-73-2)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - Massachusetts - Right To Know List

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

Canadian Regulations 15.3.

Sodium hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest

: 04/10/2023

Revision

Other Information

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products

Regulations (HPR) SOR/2015-17.

GHS Full Text Phrases:

H290	May be corrosive to metals	
H302	Harmful if swallowed	
0/2023	EN (English US)	7/8

04/10/2023 EN (English US)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H370	Causes damage to organs
H402	Harmful to aquatic life

NFPA Health Hazard

3 - Materials that, under emergency conditions, can cause

serious or permanent injury.

NFPA Fire Hazard

0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials

such as concrete, stone, and sand.

NFPA Reactivity Hazard

1 - Materials that in themselves are normally stable but can become unstable at elevated temperatures and pressures.

HMIS III Rating

Health

: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given

Flammability Physical

: 0 Minimal Hazard

: 1 Slight Hazard

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (Can, US)