SAFETY DATA SHEET



1. Identification

Product identifier Worthington Water Soluble Soldering Flux

Other means of identification

SDS number WC015

Recommended use Soldering flux.
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier Worthington Cylinder Corporation

Address 200 Old Wilson Bridge Road

Columbus, OH 43085

United States

Email: cylinders@worthingtonindustries.com

Telephone Number: 866-928-2657

CHEMTREC - 24 HOURS:

Within US and Canada 800-424-9300

Outside US and Canada +1 703-741-5970 (collect calls accepted)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 1

Environmental hazards Hazardous to the aquatic environment, acute Category 2

nazaro

Hazardous to the aquatic environment, Category 2

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes skin irritation. Causes serious eye damage. Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face

protection. Avoid release to the environment.

Response If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take

off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately

call a poison center/doctor. Collect spillage.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

3. Composition/information on ingredients

Mixtures

CAS number Chemical name % 1 - 3

Zinc chloride 7646-85-7

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

Unlisted percentages are non-hazardous stabilizers and water. None of the products in this

material are listed in NTP, IARC, or OSHA as carcinogens.

4. First-aid measures

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim

inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention if discomfort

persists.

Remove and isolate contaminated clothing and shoes. Immediately flush with plenty of water for at Skin contact

least 15 minutes. Get medical attention immediately. Wash clothing separately before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention immediately.

If swallowed, rinse mouth with water (only if the person is conscious). Never give anything by Ingestion

mouth to a victim who is unconscious or is having convulsions. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Do not use mouth-to-mouth method if victim

ingested the substance. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Treat symptomatically. Exposure may aggravate pre-existing respiratory, lung or kidney disorders.

Indication of immediate medical attention and special treatment needed

General information

Show this safety data sheet to the doctor in attendance.

Causes eye burns. Causes skin irritation.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

None.

Use fire-extinguishing media appropriate for surrounding materials.

Specific hazards arising from

the chemical

Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment

and precautions for firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus.

Fire fighting

equipment/instructions

Move containers from fire area if you can do it without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Will release small amounts of HCL upon decomposition.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protection as recommended in Section 8 of the SDS. Avoid inhalation of dust and contact with skin and eyes.

Methods and materials for containment and cleaning up

Neutralize with soda ash or sodium bicarbonate. Difute with plenty of water. Dispose of in accordance with EPA regulations.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not contaminate water.

7. Handling and storage

Precautions for safe handling

Wear appropriate personal protective equipment (See Section 8). Use only with adequate ventilation. Do not breathe fumes and dusts. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities Store in plastic containers in cool area away from heat. Store away from incompatible materials.

Worthington Water Soluble Soldering Flux

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Zinc chloride (CAS 7646-85-7)	PEL	1 mg/m3	Fume.
US. ACGIH Threshold Limit Va	lues		
Components	Туре	Value	Form
Zinc chloride (CAS 7646-85-7)	STEL	2 mg/m3	Fume.
	TWA	1 mg/m3	Fume.
US. NIOSH: Pocket Guide to C	hemical Hazards		
Components	Туре	Value	Form
Zinc chloride (CAS 7646-85-7)	STEL	2 mg/m3	Fume.
	TWA	1 mg/m3	Fume.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

Use personal protective equipment as required. Keep working clothes separately.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear approved safety glasses or goggles.

Skin protection

Hand protection

Wear protective gloves.

Other

Wear suitable protective clothing.

Respiratory protection

Use a respirator when local exhaust or ventilation is not adequate to keep exposures below the OEL. In a confined space a supplied respirator may be required. Selection and use of respiratory protective equipment should be in accordance with OSHA General Industry Standard 29 CFR 1910.134; or in Canada with CSA Standard Z94.4.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance White paste.
Physical state Solid.

Form Paste.
Color White.
or Odorless.

Odor
Odor threshold

Not available.

Outil till colloid

1

Melting point/freezing point

140 °F (60 °C) / 14 °F (-10 °C)

Initial boiling point and boiling

219.2 °F (104 °C)

range

Flash point

Not applicable.

Evaporation rate

0.6 (Butyl acetate = 1)

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Worthington Water Soluble Soldering Flux 911143 Version #: 01 Revision date: -

e: - Issue date: 28-May-2015

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%)

Not applicable.

Explosive limit - upper (%) Vapor pressure

Not applicable.

Vapor density

Not available. Not available.

Relative density

0.99

Solubility(ies)

Solubility (water)

Unlimited.

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature Decomposition temperature Not applicable. Not available.

Viscosity

Not available.

Other information

Percent volatile

Not available.

VOC (Weight %)

0 %

10. Stability and reactivity

Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions. Hazardous polymerization does not occur.

Possibility of hazardous

reactions

Contact with metals. Excessive heat or cold.

Incompatible materials

Conditions to avoid

Alkalines. Strong oxidizing agents. Reducing agents. Cyanides. Combustible material.

Hazardous decomposition

products

Thermal decomposition or combustion may liberate corrosive gases or fumes. Hydrogen chloride

gas. Zinc oxide. Zinc chloride. Ammonium fume.

11. Toxicological information

Information on likely routes of exposure

Inhalation

Irritating to respiratory system.

Skin contact

Causes skin irritation.

Eye contact Ingestion

Causes serious eye damage. May cause discomfort if swallowed.

Symptoms related to the

Causes serious eye irritation. Causes skin irritation.

physical, chemical and toxicological characteristics

Information on toxicological effects

Acute toxicity Components

Causes skin irritation. Causes serious eye damage.

Zinc chloride (CAS 7646-85-7)

Acute

Oral

LD50

Mouse

Species

350 mg/kg

Test Results

Skin corrosion/irritation Serious eye damage/eye Causes skin irritation.

Causes serious eye damage.

irritation

Respiratory or skin sensitization

Respiratory sensitization

Not classified.

Skin sensitization

Not classified.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Issue date: 28-May-2015

Carcinogenicity

911143

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Worthington Water Soluble Soldering Flux

Version #: 01 Revision date: -

SDS US

4/7

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity

Not classified.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not classified.

Chronic effects

Can cause delayed lung injury.

12. Ecological information

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Components

Species

Test Results

Zinc chloride (CAS 7646-85-7)

Aquatic

Crustacea

EC50

American or virginia oyster (Crassostrea 0.1511 - 0.2782 mg/l, 48 hours

virginica)

Fish

LC50

Rainbow trout, donaldson trout (Oncorhynchus mykiss)

0.101 - 0.197 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Not available.

Not regulated.

Mobility in soil

Expected to be slightly to moderately mobile in soil.

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. Disposal considerations

Disposal instructions

Dispose waste and residues in accordance with applicable federal, state, and local regulations.

Local disposal regulations

Dispose of in accordance with local regulations.

Hazardous waste code

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number

UN3077

UN proper shipping name

Environmentally hazardous substances, solid, n.o.s. (Zinc chloride RQ = 50000 LBS)

Transport hazard class(es)

Class

9

Subsidiary risk

9

Label(s) Packing group

Ш

Environmental hazards

Marine pollutant

Yes

Special precautions for user

Read safety instructions, SDS and emergency procedures before handling. 8, 146, 335, A112, B54, IB8, IP3, N20, T1, TP33

Special provisions Packaging exceptions

155

Packaging non bulk

213

Packaging bulk

240

IATA

UN number

UN3077

UN proper shipping name Transport hazard class(es)

Environmentally hazardous substance, solid, n.o.s. (Zinc chloride)

Class

9

Subsidiary risk

Label(s)

9

Worthington Water Soluble Soldering Flux

Version #: 01 Revision date: -Issue date: 28-May-2015 Packing group

Ш

Environmental hazards

Yes 9L

ERG Code

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number

UN3077

UN proper shipping name Transport hazard class(es) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc chloride)

Class

9

Subsidiary risk

9

Label(s) Packing group

111

Environmental hazards

Marine pollutant

Yes

EmS

F-A. S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and Not applicable.

the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Zinc chloride (CAS 7646-85-7)

LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Chemical name	<i>-</i> ,	CAS number	% by wt.
Zinc chloride		7646-85-7	1 - 3

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

This product does not contain a chemical known to the State of California to cause cancer, birth

US state regulations

defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Zinc chloride (CAS 7646-85-7)

US. New Jersey Worker and Community Right-to-Know Act

Zinc chloride (CAS 7646-85-7)

Worthington Water Soluble Soldering Flux

SDS US

911143 Version #: 01 Revision date: - Issue date: 28-May-2015

US. Pennsylvania Worker and Community Right-to-Know Law

Zinc chloride (CAS 7646-85-7)

US. Rhode Island RTK

Zinc chloride (CAS 7646-85-7)

US. California Proposition 65

Not Listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

16. Other information, including date of preparation or last revision

28-May-2015 Issue date

Revision date

01

Version #

HMIS® is a registered trade and service mark of the NPCA. **Further information**

HMIS® ratings

Flammability: 0 Physical hazard: 0

NFPA ratings



Disclaimer

All information in this Material Safety Data Sheet is believed to be accurate and reliable. However, no guarantee or warranty of any kind is made with regard to the accuracy of information or the suitability of the recommendations contained herein. It is the user's responsibility to assess the safety and toxicity of this product under their own conditions of use and to comply with all applicable laws and regulations.

Worthington Water Soluble Soldering Flux 911143 Version #: 01 Revision date: - SDS US

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).