SAFETY DATA SHEET.



Issuing date 23-Mar-2015

Revision Date 23-Mar-2015

Version 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product name

TEF-GEL

Recommended use of the chemical and restrictions on use

Product code

97673

Product Type Synonyms Extremely flammable aerosol

Supplier's details

Recommended Use Uses advised against

Gel Lubricant.

Manufactured For: Lawson Products, Inc 8770 W. Bryn Mawr Avenue - Suite 900 Chicago, IL 60631-3515

773-304-5050

Emergency telephone number

Chemical Emergency Phone

888-426-4851

Number

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 2
Reproductive Toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable aerosols	Category 1
Gases under pressure	Compressed Gas

GHS Label elements, including precautionary statements

Emergency Overview

DANGER

Hazard Statements

Causes skin irritation

Suspected of damaging fertility or the unborn child

May cause respiratory irritation. May cause drowsiness or dizziness

May cause damage to organs (Central Nervous System, Eyes, Peripheral Nervous System, Respiratory System, and Skin)

through prolonged or repeated exposure.

May be fatal if swallowed and enters airways

Extremely flammable aerosol

Contains gas under pressure; may explode if heated



Appearance Slightly Hazy

Physical state Aerosol

Odor Light Vanilla Scent

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

Specific treatment (see first aid on this label)

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None

Other information

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS # 64742-49-0, COMMERCIAL HEXANES, MAY BE SUBSTITUTED FOR CAS #110-54-3.

Synonyms

Chemical Name	CAS-No	Weight %*
HEXANE	64742-49-0	60-70
POLYMERIC VISCOSITY MODIFIER	MIXTURE	10-20
PROPANE/ISOBUTANE/N-BUTANE	68476-86-8	10-20
WHITE MINERAL OIL	8042-47-5	1-10

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures for different exposure routes

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician. Keep eye wide open while rinsing. If symptoms persist, call a

physician.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a physician.

Inhalation Move to fresh air. Artificial respiration and/or oxygen may be necessary. If not breathing,

give artificial respiration. If breathing has stopped, contact emergency medical services

immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician or Poison Control Center immediately.

Most important symptoms/effects, acute and delayed

Main Symptoms Irritating to skin. Causes serious eye damage. Causes drowsiness or dizziness. Harmful or

fatal if swallowed and enters airways.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

Specific hazards arising from the chemical

No information available.

Explosion Data

Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with the skin and the eyes. Evacuate personnel to safe areas, Ensure

adequate ventilation. Avoid dust formation. Take precautionary measures against static discharges. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Contents under pressure. Do not puncture or incinerate cans. Stop leak if

you can do it without risk.

Environmental precautions

Environmental precautions No special environmental precautions required. Beware of vapors accumulating to form

explosive concentrations. Vapors can accumulate in low areas. Prevent further leakage of spillage if safe to do so. Do not allow material to contaminate ground water system.

Methods and materials for containment and cleaning up

Methods for Containment Prevent

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Avoid contact with eyes. Avoid breathing vapors or mists. Contents under pressure. Do not puncture or incinerate cans. Do not stick pin or any other sharp object into opening on top

of can.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible products

None known based on information supplied.

Aerosol Level

3

8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

106-97-8:TWA: 800 ppm

TWA: 1900 mg/m³ 75-28-5:TWA: 800 ppm

TWA: 1900 mg/m³

Exposure Guidelines **OSHA PEL** NIOSH IDLH **Chemical Name ACGIH TLV** TWA: 500 ppm **HEXANE** TWA: 50 ppm IDLH: 1100 ppm Skin - potential significant TWA: 1800 mg/m3 TWA: 50 ppm 64742-49-0 (vacated) TWA: 50 ppm TWA: 180 mg/m³ contribution to overall exposure by the cutaneous route (vacated) TWA: 180 mg/m3 74-98-6: TWA: 1000 ppm 74-98-6:TWA: 1000 ppm 74-98-6:IDLH: 2100 ppm PROPANE/ISOBUTANE/N-BUTANE 68476-86-8 106-97-8: STEL: 1000 ppm TWA: 1800 mg/m³ TWA: 1000 ppm 75-28-5: STEL: 1000 ppm (vacated) TWA: 1000 ppm TWA: 1800 mg/m³

ACGIH: (American Conference of Governmental Industrial Hygienists)

OSHA: (Occupational Safety & Health Administration) NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(vacated) TWA: 1800 mg/m3

106-97-8: (vacated) TWA: 800

ppm (vacated) TWA: 1900 mg/m3

(11th Cir., 1992).

Exposure controls

Engineering Measures

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Safety glasses with side-shields.

Skin and body protection

Chemical resistant apron. Protective gloves.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state Appearance Color

Aerosol Slightly Hazy amber

Odor **Odor Threshold** Light Vanilla Scent No information available

Property рΗ Melting/freezing point

Flash Point

Values No information available Boiling point/boiling range -97 °C / -143 °F

Evaporation rate Flammability (solid, gas)

Flammability Limits in Air

upper flammability limit lower flammability limit

Vapor pressure Vapor density

No information available No information available No information available No information available

No information available No information available No information available No information available Remarks • Methods not applicable

97673 TEF-GEL

Revision Date 23-Mar-2015

Specific Gravity

0.720

Water solubility

Practically insoluble

Partition coefficient: n-octanol/waterNo information available

No information available

Autoignition temperature Decomposition temperature

No information available

Viscosity

No information available

Explosive properties

No information available

Other information

VOC Content(%)

78.76

10 STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

Vapors may irritate throat and respiratory system. May cause drownsiness and dizziness based on components. May cause irritation of respiratory tract. Avoid breathing vapors or

Not applicable

mists.

Eye contact

May cause slight irritation. Avoid contact with eyes.

Skin contact

Irritating to skin. Repeated exposure may cause skin dryness or cracking. Prolonged skin

contact may defat the skin and produce dermatitis. Avoid contact with skin.

Ingestion

Harmful if swallowed. Aspiration into the lungs during swallowing may cause serious lung

damage which may be fatal.

Component Information

Component information					
Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation		
HEXANE 64742-49-0	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	= 73680 ppm (Rat) 4 h		
WHITE MINERAL OIL 8042-47-5	> 5000 mg/kg (Rat)	-	-		

Information on toxicological effects

Symptoms

Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,

cessation of breathing.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Sensitization

Irritating to skin. None known.

Carcinogenicity

Germ Cell Mutagenicity

None known.

Reproductive toxicity

There are no known carcinogenic chemicals in this product. Product is or contains a chemical which is a known or suspected reproductive hazard.

Specific target organ systemic

May cause respiratory irritation. May cause drowsiness and dizziness.

toxicity (single exposure)

Specific target organ systemic toxicity (repeated exposure) **Target Organ Effects**

May cause damage to organs through prolonged or repeated exposure.

Central nervous system, Eyes, Peripheral Nervous System (PNS), Respiratory system,

Neurological effects

Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal.

Aspiration hazard

May be fatal if swallowed and enters airways.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)

3401 mg/kg

ATEmix (dermal)

7482 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
PROPANE/ISOBUTANE/N- BUTANE 68476-86-8	-	-	-	-
WHITE MINERAL OIL 8042-47-5	-	10000 mg/L LC50 Lepomis macrochirus 96h	-	-

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	log Pow
PROPANE/ISOBUTANE/ 68476-86-8	2.8
WHITE MINERAL OIL 8042-47-5	6

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods

This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

Contaminated packaging

Do not re-use empty containers.

14 TRANSPORT INFORMATION

DOT Ground

CONSUMER COMMODITY ORM-D

or

LIMITED QUANTITY

IATA

UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD. QTY.

IMDG

UN1950, AEROSOLS, 2.1, LTD. QTY.

15 REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
HEXANE	Х	X	X	Х	Х	Х	Х	Х
PROPANE/ISOBUTA NE/N-BUTANE	Х	Х	Х	Not listed	Х	Х	Х	Х
WHITE MINERAL OIL	Х	X	Х	Χ	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard Yes
Sudden Release of Pressure Hazard Yes
Reactive Hazard no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any known Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

EPA Pesticide Registration Number Not applicable

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.



16. OTHER INFORMATION

NFPA

Health Hazard 2

Flammability 4

Instability 0

Physical and chemical

hazards -

Health Hazard 2*

Flammability 4

Physical Hazard 1

Personal protection B

Chronic Hazard Star Legend

Chronic Health Hazard; Repeated or prolonged exposure may cause central nervous system damage

Prepared By

Issuing date

Revision Date

Regulatory Affairs

23-Mar-2015 23-Mar-2015

Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet